## **SECTION 1: Identification**

# **1.1** Product identifier32MFC, 128MFC

Product name

## 1.4 Supplier's details

Name Address	Hospeco Brands Group 10966 Industrial Parkway Bolivar OH 44612
Telephone	330-874-1017

## 1.5 Emergency phone number(s)

US, Canada: 800-255-3924. International: +01-813-248-0585

# **SECTION 2: Hazard identification**

## 2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Flammable liquids, Cat. 3
- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 2
- Sensitization, skin, Cat. 1

## 2.2 GHS label elements, including precautionary statements

### Pictogram



Microfiber Multi Purpose Cleaner

Signal word

Danger

Hazard statement(s) H226 H315 H317 H318

Flammable liquid and vapor Causes skin irritation May cause an allergic skin reaction Causes serious eye damage

#### **Precautionary statement(s)**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting// equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash exposed areas thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear eye protection/face protection/protective gloves.
IF ON SKIN: Wash with plenty of water/
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep cool.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Hazardous components

#### **1. PROPYLENE GLYCOL MONOMETHYL ETHER**

Concentration	> 5 - < 10 % (weight)
EC no.	203-539-1
CAS no.	107-98-2
Index no.	603-064-00-3

Flammable liquids, Cat. 3Specific target organ toxicity (single exposure), Cat. 3

H226	Flammable liquid and vapor
H336	May cause drowsiness or dizziness

## 2. Isopropanol

Concentration EC no. CAS no. Index no. > 0 - < 5 % (weight) 414-810-0 67-63-0 607-403-00-6

- Flammable liquids, Cat. 2

- Eye damage/irritation, Cat. 2A

- Specific target organ toxicity (single exposure), Cat. 3

H225 H319 H335 H336	Highly flammable liquid and vapor Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness	
<b>3. Dipropylene glycol monomethyl</b> Concentration EC no. CAS no.	ether > 0 - < 5 % (weight) 252-104-2 34590-94-8	
- Flammable liquids, Cat. 4		
H227	Combustible liquid	
<b>4. Nonionic Surfactant</b> Concentration	> 0 - < 5 % (weight)	
<ul> <li>Acute toxicity, oral, Cat. 4</li> <li>Acute toxicity, inhalation, Cat. 4</li> <li>Skin corrosion/irritation, Cat. 2</li> <li>Eye damage/irritation, Cat. 1</li> </ul>		
H302 H315 H318 H332	Harmful if swallowed Causes skin irritation Causes serious eye damage Harmful if inhaled	
<b>5. Fragrance</b> Concentration	> 0 - < 5 % (weight)	
<ul> <li>Aspiration hazard, Cat. 1</li> <li>Skin corrosion/irritation, Cat. 2</li> <li>Sensitization, skin, Cat. 1</li> <li>Hazardous to the aquatic environmed</li> <li>Flammable liquids, Cat. 3</li> </ul>	Skin corrosion/irritation, Cat. 2 Sensitization, skin, Cat. 1 Hazardous to the aquatic environment, short-term (acute), Cat. 1	
H226 H304 H315 H317 H400	Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Very toxic to aquatic life	

# **SECTION 4: First-aid measures**

### 4.1 Description of necessary first-aid measures

General advice	After adequate first aid, no further treatment is required unless symptoms reappear. Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. For specific information refer to the Emergency Overview in Section 2 of this SDS.
If inhaled	If overcome by exposure, remove victim to fresh air immediately.
In case of skin contact	Remove contaminated clothing as needed. Wash skin thoroughly with mild soap and water.
In case of eye contact	Flush with lukewarm water for 15 minutes. Immediately flush the eyes with large amounts of clean low-pressure water for at least 15 minutes, occasionally lifting the upper and lower lids.
If swallowed	Do not induce vomiting.

## **SECTION 5: Fire-fighting measures**

## 5.1 Suitable extinguishing media

Use alcohol foam, water spray or fog Use DRY chemicals, CO2, water spray

# **SECTION 6: Accidental release measures**

- 6.1 **Personal precautions, protective equipment and emergency procedures** Flammable liquid. Release can cause fire or explosion.
- 6.3 Methods and materials for containment and cleaning up For large spills, dike and pump into properly labeled containers for reclamation or disposal. For small spills, soak up with absorbent material and place in properly labeled containers for disposal.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Keep container tightly closed when not in use. Use only non-sparking tools. Properly ground containers before beginning transfer.

**7.2** Conditions for safe storage, including any incompatibilities Store only in tightly closed, properly vented containers away from heat, sparks, open flame and strong oxidizing agents.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

1. Isopropyl alcohol (CAS: 67-63-0) PEL (Inhalation): 400 ppm (OSHA) OSHA Annotated Table Z-1, www.osha.gov REL (Inhalation): 400 ppm, (ST) 500 ppm (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): 200 ppm, (ST) 400 ppm; USA (ACGIH) OSHA Annotated Table Z-1, www.osha.gov

2. Dipropylene glycol methyl ether (CAS: 34590-94-8 EC: 252-104-2)

PEL (Inhalation): 100 ppm (OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 100 ppm, (ST) 150 ppm (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): 100 ppm, (ST) 150 ppm; USA (ACGIH) OSHA Annotated Table Z-1, www.osha.gov

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Chemical splash goggles and/or face shield should be worn.

#### Skin protection

Depending on the conditions of use, protective gloves, apron, boots, head and face protection should be worn.

#### **Respiratory protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Odor Odor threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability limits Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidizing properties	Clear green liquid Lemon No data available 6.5-8.5 No data available No data available 115F No data available Flammable No data available No data available No data available 1.00 Water No data available No data available No data available As water No data available
Oxidizing properties	No data available

## **SECTION 10: Stability and reactivity**

- **10.2 Chemical stability** Stable
- **10.4 Conditions to avoid** Heat, sparks, open flame, other ignition sources, and oxidizing conditions.
- **10.5 Incompatible materials** Strong oxidizing agents.

## **SECTION 11: Toxicological information**

#### Information on toxicological effects

## Skin corrosion/irritation

May cause skin irritation

#### Serious eye damage/irritation Causes eye irritation

**Respiratory or skin sensitization** May cause an allergic skin reaction

## **SECTION 12: Ecological information**

Persistence and degradability Biodegradable

## **SECTION 13: Disposal considerations**

**Disposal of the product** Comply with federal, state, or local regulations for disposal.

## Disposal of contaminated packaging

Comply with federal, state, or local regulations for disposal.

## **SECTION 14: Transport information**

## DOT (US)

UN Number: Limited Quantity Class: Packing Group: Proper Shipping Name: Reportable quantity (RQ): Marine pollutant: Poison inhalation hazard:

#### IMDG

UN Number: 1993 Class: 3 Packing Group: III EMS Number: Proper Shipping Name: flammable liquid (nos glycol ether)

### IATA

UN Number: 1993 Class: 3 Packing Group: III Proper Shipping Name: flammable liquid (nos glycol ether)

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations specific for the product in question

New Jersey Right To Know Components Common name: PROPYLENE GLYCOL MONOMETHYL ETHER CAS number: 107-98-2

## Pennsylvania Right To Know Components

Chemical name: 2-Propanol, 1-methoxy-CAS number: 107-98-2

Massachusetts Right To Know Components Isopropyl alcohol CAS number: 67-63-0

New Jersey Right To Know Components Isopropyl alcohol CAS number: 67-63-0

## Pennsylvania Right To Know Components

Isopropyl alcohol CAS number: 67-63-0

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313: Isopropyl alcohol CAS number: 67-63-0

## SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### New Jersey Right To Know Components

Dipropylene glycol monomethyl ether CAS number: 34590-94-8

#### Pennsylvania Right To Know Components

Dipropylene glycol monomethyl ether CAS number: 34590-94-8

### Massachusetts Right To Know Components

Dipropylene glycol monomethyl ether CAS number: 34590-94-8

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **HMIS Rating**

Microfiber Multi Purpose Cleaner	
HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

**NFPA** Rating



## **SECTION 16: Other information**

This Safety Data Sheet is offered solely for your information, consideration and investigation. There are no warranties, either expressed or implied and no responsibility is assumed for the accuracy or completeness of the data contained herein.