I. IDENTIFICATION

Product identification used on labelProduct Name:Airworks 3.0 - LAVENDER MEADOWProduct Identifier:AWPA236-BXRecommended Use of theFragranceChemical and restrictions on use:

Company:	HOSPECO 26301 Curtiss Wright Parkway Richmond Heights, OH 44143	
Emergency Phone	Emergency Number	: 800-255-3924 (Chem Tel Inc)
Number:	Information:	800-321-9832

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification:	Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Reproductive Toxicity Category 2; Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2; Flammable Liquid Category 4
GHS Signal Word:	Warning
GHS Hazard	Cumbustible Liquid; Causes skin irritation; May cause an allergic skin reaction; Causes serious eye irritation; Suspected of damaging fertility or the unborn child; Toxic to aquatic life; Toxic to aquatic life with long lasting effects. There are no other hazards not otherwise classified that have been identified. 0% of the mixture consists of ingredient(s) of unknown toxicity.
GHS Precautions:	
Safety Precautions:	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. In case of fire: Use to extinguish. Collect spillage.
Storage:	Store in a well-ventilated place. Keep cool.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulation for

AIRWORKS 3.0 – LAVENDER MEADOW

Page 1 of 7

hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	%	
Benzoic acid, 2-amino-, methyl ester	134-20-3	15 - 40	
3-Octanol, 3,7-dimethyl-	78-69-3	7 - 15	
2-Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester	77-83-8	3 - 7	
Butanoic acid, ethyl ester	105-54-4	3 - 7	
Acetic acid, phenylmethyl ester	140-11-4	1 - 5	
Benzoic acid, 2-hydroxy-, hexyl ester	6259-76-3	1 - 5	
lonone, methyl-	1335-46-2	1 - 5	
7-Octen-2-ol, 2,6-dimethyl-	18479-58-8	0.5 - 1.5	
2-Phenylethanol	60-12-8	0.5 - 1.5	
4H-Pyran-4-one, 2-ethyl-3-hydroxy-	4940-11-8	0.5 - 1.5	
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	5989-27-5	0.1 - 1	
Bicyclo[3.1.1]hept-2-ene-2-ethanol, 6,6-dimethyl-, 2-acetate	128-51-8	0.1 - 1	
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl-	80-54-6	0.1 - 1	
Benzene, 1-methoxy-4-methyl-	104-93-8	0.1 - 1	
Phenol, 2-methoxy-4-(1-propen-1-yl)-	97-54-1	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV.	FIRS	T-AID	MEA	SURES
				SONES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately
Eyes:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.
Most important symptoms and effects - acute Most important	No Data Available
symptoms and effects - chronic	No Data Available
Notes to Doctor:	No additional first aid information available

V. FIRE FIGHTING MEASURES

AIRWORKS 3.0 – LAVENDER MEADOW

<u>Flammability Summary:</u> Extinguishing Media: Extinguishing Media advised against:	Use a exting be us Wate dama No D	bustible Ilcohol resistant foam, carbon dioxide, or dry chemical guishing agents. Water may be ineffective but water spray can ed extinguish a fire if swept across the base of the flames. r can absorb heat and keep exposed material from being ged by fire. ata Available
Fire and/or Explosion Hazards:	if ma	rs may be ignited by sparks, flames or other sources of ignition terial is above the flash point giving rise to a fire (Class B). rs are heavier than air and may travel to a source of ignition and back.
Fire Fighting Methods and Protection: Hazardous Combustion Products:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use methods for the surrounding fire. Carbon Oxides, nitrogen oxides (NOx), Carbon dioxide, Carbon monoxide	
VI. ACCIDENTAL RELEASE MEASURES	Naha	alth affacts ownested from the clean up of this material if
Personal Precautions and Equipment:		alth affects expected from the clean-up of this material if t can be avoided. Follow personal protective equipment
		mendations found in Section VIII of this MSDS ecial spill clean-up considerations. Collect and discard in regular
VII. HANDLING AND STORAGE		
Handling Technical Measures and Precau	tions:	Mildly irritating material. Avoid unnecessary exposure. Use spark-proof tools and explosion-proof equipment As with all chemicals, good industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid contact with material; avoid breathing dusts or fumes, use only in a well ventilated area.
Storage Technical Measures and Condition		Store in a cool dry place. Isolate from incompatible materials. Keep away from sources of ignition Store in a cool place in original container and protect from sunlight Do not store near combustible materials Store in a tightly closed container Limit quantity of material stored. Store in a cool dry place Keep away from heat, sparks, and flame Acids Acid chlorides Acid anhydrides Chloroformates Strong oxidizing agents Strong bases Strong acids Oxidising agents
AIRWORKS 3.0 – LAVENDER MEADO	X 7	Bases Reducing agents Oxidizing mineral acids Strong Page 3 of 7
AIN WUKNS $3.0 - LAVENDEK MEADU'$	vv	Page 3 01 /

reducing agents Strong alkalies Nitrogen oxides

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures:	No exposure limits exist ventilation or other eng operator comfort. Engin specific standard in 29 C other engineering contr limits Facilities storing o safety shower. Engineer concentrations to below	ineering controls to neering controls must FR 1910. Use procest ols to control airbor r using this material ing controls must be	minimize exposures ar st be designed to meet ss enclosures, local exh ne levels below recom should be equipped w e designed to control v	nd maintain : the OSHA chemical naust ventilation, or mended exposure vith an eyewash and
Respiratory Protection:	Respiratory protection r product. General or loca Use a respirator if gener symptoms. Follow a res ANSI Z88.2 requirement respirator. A supplied ai	I exhaust ventilation al room ventilation piratory protection s whenever work pla	n is the preferred mean is not available or suffi program that meets 29 ace conditions warrant	ns of protection. cient to eliminate 9 CFR 1910.134 and
Eye Protection:	Wear chemically resista Wear additional eye pro when the possibility exis airborne material. Do no Wear goggles and a Face	tection such as cher sts for eye contact w ot wear contact lens	nical splash goggles ar ith splashing or sprayi	nd/or face shield ng liquid, or
Skin Protection:	Wear protective gloves. regular intervals. Clean exposed areas with mild work Where contact is boots, and chemical safe	protective equipmer soap and water bef ikely, wear chemica ety goggles plus a fa	nt regularly. Wash han ore eating, drinking, a I resistant gloves, a ch	ds and other nd when leaving
Gloves: Handling Instructions:	No information available Use spark-proof tools and explosion-proof equipment As with all chemicals, good industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid contact with material; avoid breathing dusts or fumes, use only in a well ventilated area.			
<u>Control Parameters:</u> Chemical Name	AC	GIH TLV-TWA	ACGIH STEL	OSHA PEL

No TLV

IX. PHYSICAL AND CHEMICAL PROPERTIES

No Data Available

Physical State:	Liquid
Color:	Yellow
Odor:	Comparable to Standard
Odor Threshold:	ND
pH:	Not Available
Viscosity:	Not Available
Decomposition Temperature:	Not Available

AIRWORKS 3.0 – LAVENDER MEADOW

No PEL established

Melting Point/Freezing Point:	-9 º F
Initial Boiling Point:	160 - 163 º F
Flash Point:	145 º F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	Not Available
Lower Flammable/Explosive Limit:	Not Available
Vapor Density:	> 1
Relative Density:	1
Solubility in Water:	Soluble in water- No
Octanol/Water Partition Coefficient:	3.3 at 20 °C (68 °F) 6.766
Auto-ignition Temperature:	463 º C
Volatiles, % by weight:	32.15
Volatiles, % by weight:	32.15
Bulk Density:	202.525

X. STABILITY AND REACTIVITY

Reactivity:	No Data Available
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	Temperatures above flash point in combination with sparks,
	open flames, or other sources of ignition. Heat flame sparks
	Avoid moisture open flames Contamination Elevated
	temperatures
Materials to Avoid/Chemical Incompatibility:	Acids Acid chlorides Acid anhydrides Chloroformates Strong
	oxidizing agents Strong bases Strong acids Oxidizing agents
	Bases Reducing agents Oxidizing mineral acids Strong reducing
	agents Strong alkalies Nitrogen oxides
Hazardous Decomposition Products:	Carbon Oxides nitrogen oxides (NOx) Carbon dioxide Carbon
	monoxide

XI. TOXICOLOGICAL INFORMATION

Routes of Entry:	Inhalation, Ingestion, Skin contact, Eye contact	
Most Important	No Data Available	
Symptoms:		
Target Organs Poten	tially Affected by Exposure:	Eyes, Nervous System, Respiratory Tract, Skin
Chemical Interaction	s That Change Toxicity:	None Known
Medical Conditions	Aggravated by Exposure:	Eye disease, Respiratory disease including asthma and bronchitis, Skin
		disease including eczema and sensitization

Immediate (Acute) Health Effects by Route of Exposure:

Skin Contact:	Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause
	permanent damage.
Skin Absorption:	No absorption hazard in normal industrial use.
Eye Contact:	Contact with the eyes may cause moderate to severe eye injury. Eye contact may
	result in tearing and reddening, but not likely to permanently injure eye tissue.

AIRWORKS 3.0 – LAVENDER MEADOW

Ingestion Irritation:	Temporary vision impairment (cloudy or blurred vision) is possible. Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis. Harmful if swallowed.
Ingestion Toxicity:	Hammulli swallowed.
Long-Term (Chronic) Health Eff	fects:
Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive toxicity:	No data available to indicate product or any components present at greater than 0.1% may cause birth defects. Possible reproductive hazard.
Germ cell mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation:	Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.
Skin Contact:	Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data:		
Chemical Name	CAS Number	LD50/LC50
No data available		

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

XII. ECOLOGICAL INFORMATION

Overview: Mobility in Soil:	This material is not expected to be harmful to the ecology. No Data Available			
Persistence:	No Data Available	No Data Available		
Bioaccumulation:	No Data Available			
Other adverse effects	No Data Available			
Ecotoxicity Data				
Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available				

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product:	Spent or discarded material may be a hazardous waste.
Waste Description for Empty	No Data Available

-	
Dar	kaging
rac	kaging:

Disposal Method	IS: TION INFORMATION	DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.			
US DOT Ground S	nipping Description:	Not Restricted			
IATA Shipping Des		Not Restricted			
IMDG Shipping De	-	Not Restricted			
		Not Restricted			
XV. REGULATORY					
TSCA Status	All components in this	product are on the TSCA Inver	ntory.		
		64 6 #	B 1.11	24 B	
Chemical Name		CAS #	Regulation	% Range	
No 313-listed che	emicals in this product		SARA 313		
XVI. OTHER INFOR	MATION				
Revision Date:	6-1-2018				
Disclaimer:	Important: While the	descriptions, data and inform	ation contained herein a	re presented in	
good faith and believed to be accurate, it is provided for your guidance only. Because many					
factors may affect processing or application/use, we recommend that you perform an					
assessment to determine the suitability of the product for your particular purpose prior to use.					
Nothing herein should be interpreted as a recommendation to infringe existing patents or					
violate any laws or regulations. No warranties of any kind, either expressed or implied,					
including fitness for a particular purpose are made regarding the product described. We					
assume NO responsibility for any injuries resulting from misuse or misapplication of this				ation of this	
product or that might be sustained because of inhalation, ingestion, absorption or other				ion or other	
contact with this product. In no case shall the descriptions, information, or data provided be				lata provided be	
	considered a part of our terms and conditions of sale. Further, the descriptions, data and			ons, data and	
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.